## IN THE CLAIMS

Claim 1 has been amended as follows:

1. (Currently amended) A method for vapor-depositing a layer of a needle-shaped x-ray luminophore with at least one alkali metal on a <u>substrate</u> carrier, said method comprising providing a carrier, <u>and</u> simultaneously <del>vaporizing</del> <u>co-vaporizing</u> a mixture of at least one europium(III) oxyhalogenide with at least one alkali halogenide and vapor-depositing the vapor on the <u>carrier</u> <u>substrate</u>, to produce a ratio of an Eu concentration of the alkali halogenide layer in the proximity of the <u>substrate</u> to an Eu concentration of the alkali halogenide layer in the proximity of the <u>substrate</u> between 0.4 and 1.2.

Claim 2 has been amended as follows:

2. (Currently amended) A method according to claim 1, wherein the step of simultaneously vaporizing co-vaporizing utilizes a molybdenum vaporizer.

Claim 3 has been cancelled.

3. (Cancelled).

Claim 4 has been amended as follows:

4. (Currently amended) A method according to claim 1 3, wherein the concentration said ratio is reproduced between a factor of 0.6 and 0.8.

Claim 5 has been amended as follows:

5. (Currently amended) A method according to claim 1, wherein the at least one europium(III) oxyhalogenide has a formula of Eu<sub>3</sub>O<sub>4</sub>Hal, wherein Hal is at least one halogenide from a the group consisting of F, Cl, Br and I.

Claim 6 has been amended as follows:

6. (Currently amended) A method according to claim 5, wherein the alkali halogenide comprises at least one metal selected from a group consisting of Na, K, Rb and Cs and at least one halogenide from the group consisting of F, Cl, Br and I.

Claim 7 has been amended as follows:

7. (Currently amended) A method according to claim 1, wherein the x-ray luminophore occurs according to the following formula:

## AB/C:EuD,E

wherein A is an at least one alkali metal from a group consisting of Na, K, Rb and Cs; B and C are at least one halogenide from a group consisting of F, Cl, Br and I; wherein C can equal 0 be omitted and D and E are at least one halogenide from a group consisting of F, Cl, Br and I, wherein A, D and E can be equal.

Claim 8 has been amended as follows:

8. (Currently amended) A method according to claim 7, wherein the depositing of comprising vapor depositing the layer on the carrier forms substrate to form a storage luminophore plate.